



ROVER 200/400 (XW)

(ALL MODELS)

MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: _____ Model: _____ Reg.No: _____
 Invoice/Job no: _____ Odometer reading: _____ V.I.N: _____

Service type: _____

Months/000 miles:	A	LS	B	A	B	A	B	A	B		
	12		24	36	48	60	72	84	96	108	120

Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked *

Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.

PRELIMINARY

1. Before commencing work, check for any outstanding service actions.

LUBRICATION SERVICE

2. Replace engine oil and filler - **M series turbo, T series turbo and Diesel**
 3. Replace engine oil and filler - **D series (sold prior to 1st Jan 1994)**

MAIN SERVICE

- | | |
|---|--|
| 4. <input type="checkbox"/> <input type="checkbox"/> | Annual corrosion/cosmetic inspection - Using annual corrosion inspection sheet |
| 5. <input type="checkbox"/> <input type="checkbox"/> | Replace engine oil and filler |
| 6. <input type="checkbox"/> <input type="checkbox"/> | Replace manual gearbox oil - T series, M series and Diesel |
| 7. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace manual gearbox oil - 'D' Series only |
| 8. <input type="checkbox"/> <input type="checkbox"/> | Replace automatic gearbox oil |
| 9. <input type="checkbox"/> <input type="checkbox"/> | Adjust clutch cable - D series only |
| 10. <input type="checkbox"/> <input type="checkbox"/> | Replace antifreeze - 36k and then every 24k |
| 11. <input type="checkbox"/> <input type="checkbox"/> | Check battery connections and antifreeze |
| 12. <input type="checkbox"/> <input type="checkbox"/> | Check brake, PAS, clutch & gearbox fluid levels |
| 13. <input type="checkbox"/> <input type="checkbox"/> | Check pressure sensing hoses and vacuum pipes |
| 14. <input type="checkbox"/> <input type="checkbox"/> | Adjust valve clearances - D series only |
| 15. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace camshaft drive belt - K series, T series and D series |
| 16. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace camshaft belt - Diesel |
| 17. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check condition of camshaft belt - M series only |
| 18. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace camshaft belt - M series only |
| 19. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check cooling system hoses and connections for signs of leakage and condition |
| 20. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check fuel & clutch pipes and hoses for signs of leakage and condition |
| 21. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check condition of crankcase vent hoses & valves where fitted |
| 22. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check air conditioning system, hoses and sight glass |
| 23. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace auxiliary drive belt - T series only |
| 24. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check auxiliary drive belts tension and condition |
| 25. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace air cleaner element |
| 26. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace air cleaner element - M series turbo and T series turbo only |
| 27. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check fuel filter for water and drain off - Diesel only |
| 28. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace fuel filter - M Series and Diesel |
| 29. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace fuel filter - D series only |
| 30. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace fuel filter - K series and T series |
| 31. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Check P.C.V. valve - D series only |
| 32. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace spark plugs - NOT VVC |
| 33. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace spark plugs - VVC |
| 34. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Replace ABS high pressure hose - D series only - Every 48 months regardless of mileage* |

MAIN SERVICE

- | | | | |
|---|---|---|---|
| 35. <input type="checkbox"/> <input type="checkbox"/> | Replace brake fluid - Every 24 months regardless of mileage*(indicate replacement on service record) | A | B |
| 36. <input type="checkbox"/> <input type="checkbox"/> | Check exhaust system and heat shields | | |
| 37. <input type="checkbox"/> <input type="checkbox"/> | Remove front road wheels | | |
| 38. <input type="checkbox"/> <input type="checkbox"/> | Check wheels, front brake linings, disc, calipers, hoses and pipes | | |
| 39. <input type="checkbox"/> <input type="checkbox"/> | Remove rear road wheels | | |
| 40. <input type="checkbox"/> <input type="checkbox"/> | Check wheels, rear brake linings, drums, disc, cylinders, calipers, hoses and pipes | | |
| 41. <input type="checkbox"/> <input type="checkbox"/> | Check suspension and steering for signs of leaking or wear | | |
| 42. <input type="checkbox"/> <input type="checkbox"/> | Check wheel bearings, drive shafts and gaiters | | |
| 43. <input type="checkbox"/> <input type="checkbox"/> | Adjust handbrake - First 12,000 miles only | | |
| 44. <input type="checkbox"/> <input type="checkbox"/> | Check handbrake operation | | |
| 45. <input type="checkbox"/> <input type="checkbox"/> | Lubricate strikers, latches (use Rover lock grease) door hinges and door checks | | |
| 46. <input type="checkbox"/> <input type="checkbox"/> | Check front screen number plates and V.I.N - 36 months and then every 12 months | | |
| 47. <input type="checkbox"/> <input type="checkbox"/> | Check seatbelt and airbag module covers - 36 months and then every 12 months | | |
| 48. <input type="checkbox"/> <input type="checkbox"/> | Check tyre pressures, condition and tread depth (mm) | | |
| | LHF <input type="checkbox"/> <input type="checkbox"/> RHF <input type="checkbox"/> <input type="checkbox"/> RHR <input type="checkbox"/> <input type="checkbox"/> LHR <input type="checkbox"/> <input type="checkbox"/> Spare <input type="checkbox"/> <input type="checkbox"/> | | |
| 49. <input type="checkbox"/> <input type="checkbox"/> | Check lamps, horns, and system warning indicators | | |
| 50. <input type="checkbox"/> <input type="checkbox"/> | Check screen wipers and washers | | |
| 51. <input type="checkbox"/> <input type="checkbox"/> | Replace alarm handset batteries | | |
- 10 YEAR REPLACEMENT - AIRBAGS**

Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.

52. Replace airbag module(s)*

53. Replace airbag rotary coupler* - **When driver only airbag fitted**

AFTER EACH MAIN SERVICE

54. Check oxygen sensor operation - **at 36 months and then every 12 months**

55. Check CO at tailpipe - **at 36 months and then every 12 months. (Record CO%)**

56. Check Smoke emissions - **Diesel at 36 months and then every 12 months**

57. Carry out engine tuning - **Non catalyst vehicles only**

58. Carry out road test, check for the correct function of all vehicle systems

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: _____ Signature: _____ Date: _____



ROVER 200/400 (XW) (ALL MODELS)

MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: _____ Model: _____ Reg.No: _____
 Invoice/Job no: _____ Odometer reading: _____ V.I.N: _____

Service type:	A	LS	B	A	B	A	B	A	B	A	B
Months/0,000 miles:	12		24	36	48	60	72	84	96	108	120

Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked *
Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.

PRELIMINARY

- Before commencing work, check for any outstanding service actions.
- LS Lubrication service
- Replace engine oil and filter - **M series turbo, T series turbo and Diesel**
- Replace engine oil and filter - **D series (sold prior to 1st Jan 1994)**

MAIN SERVICE

- Annual corrosion/cosmetic inspection - **Using annual corrosion inspection sheet**
- Replace engine oil and filter
- Replace manual gearbox oil - **T series, M series and Diesel**
- 72k Replace manual gearbox oil - **'D' Series only**
- Replace automatic gearbox oil
- Adjust clutch cable - **D series only**
- Replace antifreeze - **36k and then every 24k**
- Check battery connections and antifreeze
- Check brake, PAS, clutch & gearbox fluid levels
- Check pressure sensing hoses and vacuum pipes
- Adjust valve clearances - **D series only**
- 60k 120k Replace camshaft drive belt - **K series, T series and D series**
- 72k Replace camshaft belt - **Diesel**
- Check condition of camshaft belt - **M series only**
- 48k Replace camshaft belt - **M series only**
- Check cooling system hoses and connections for signs of leakage and condition
- Check fuel & clutch pipes and hoses for signs of leakage and condition
- Check condition of crankcase vent hoses & valves where fitted
- Check air conditioning system, hoses and sight glass
- 60k 120k Replace auxiliary drive belt - **T series only**
- Check auxiliary drive belts tension and condition
- Replace air cleaner element
- Replace air cleaner element - **M series turbo and T series turbo only**
- Check fuel filter for water and drain off - **Diesel only**
- Replace fuel filter - **M Series and Diesel**
- 36k 72k Replace fuel filter - **D series only**
- 48k 120k Replace fuel filter - **K series and T series**
- 60k Check P.C.V. valve - **D series only**
- Replace spark plugs - **NOT VVC**
- 60k 120k Replace spark plugs - **VVC**
- Replace ABS high pressure hose - **D series only - Every 48 months regardless of mileage***

MAIN SERVICE

- Replace brake fluid - **Every 24 months regardless of mileage*(indicate replacement on service record)**
- Check exhaust system and heat shields
- Remove front road wheels
- Check wheels, front brake linings, disc, calipers, hoses and pipes
- Remove rear road wheels
- Check wheels, rear brake linings, drums, disc, cylinders, calipers, hoses and pipes
- Check suspension and steering for signs of leaking or wear
- Check wheel bearings, drive shafts and gaiters
- Adjust handbrake - **First 12,000 miles only**
- Check handbrake operation
- Lubricate strikers, latches (use Rover lock grease) door hinges and door checks
- Check front screen number plates and V.I.N - **36 months and then every 12 months**
- Check seatbelt and airbag module covers - **36 months and then every 12 months**
- Check tyre pressures, condition and tread depth (mm)
 LHF RHF RHR LHR Spare
- Check lamps, horns, and system warning indicators
- Check screen wipers and washers
- Replace alarm handset batteries

10 YEAR REPLACEMENT - AIRBAGS

- Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.
- Replace airbag module(s)*
 - Replace airbag rotary coupler* - **When driver only airbag fitted**
- AFTER EACH MAIN SERVICE**
- Check oxygen sensor operation - **at 36 months and then every 12 months**
 - Check CO at tailpipe - **at 36 months and then every 12 months. (Record CO%)**
 - Check Smoke emissions - **Diesel at 36 months and then every 12 months**
 - Carry out engine tuning - **Non catalyst vehicles only**
 - Carry out road test, check for the correct function of all vehicle systems

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: _____ Signature: _____ Date: _____

GLOSSARY

FIRST SERVICE= The first service required after sale of vehicle. This service is only applicable to certain models as indicated by the maintenance check sheet.

LUBRICATION SERVICE = The lubrication service is carried out between main services, the first at 18 months or 18,000 miles, whichever occurs first, and then at every subsequent 12 months or 12,000 miles. It is only applicable to certain derivatives as indicated by the maintenance check sheet.

MAIN SERVICE = The main service is applicable to all vehicles. It is carried out at 12 month or 12,000 miles intervals, whichever occurs first.

Main Service "A" is applicable at 12 months/12,000 miles, 36 months/36,000 miles, 60 months/60,000 miles 84 months/84,000 miles and so on.

Main Service "B" is applicable at 24 months/24,000 miles, 48 months/48,000 miles, 72 months/72,000 miles, 96 months/96,000 miles and so on. Some items do not need to be carried out at every main service and these items are identified by an indicator in the tick box e.g. 60k (This indicates that this item is only applicable every 60 months/ 60,000 miles)

For full details regarding the operations contained in this maintenance check sheet, please refer to the workshop manual.