



ROVER 200 (RF) (ALL MODELS)

MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: _____ Model: _____ Reg.No: _____
 Invoice/Job no: _____ Odometer reading: _____ V.I.N: _____

Service type:	FS	A	B	A	B	A	B		
Months/000 miles:	3	12	24	36	48	60	72	84	96

Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked *

Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.

PRELIMINARY

1. **Before commencing work, check for any outstanding service actions.**

FIRST SERVICE

2. **Replace engine oil and filter - First 3000 miles only Rover 200 Vi only**

MAIN SERVICE

3. **Annual corrosion/cosmetic inspection - Using annual corrosion inspection sheet**

4. **Replace engine oil and filter**

5. **Replace automatic gearbox oil**

6. **Replace antifreeze - 36k and then every 24k**

7. **Check battery connections and antifreeze**

8. **Check brake, PAS, clutch & gearbox fluid levels**

9. **Check pressure sensing hoses and vacuum pipes**

10. **Replace camshaft drive belt- NOT 220 Diesel**

11. **Replace camshaft and injection pump drive belt- 220 Diesel**

12. **Check cooling system hoses and connections for signs of leakage and condition**

13. **Check fuel & clutch pipes and hoses for signs of leakage and condition**

14. **Check condition of crankcase vent hoses & valves where fitted**

15. **Check air conditioning system, hoses and sight glass**

16. **Check auxiliary drive belts tension and condition**

17. **Replace air cleaner element - NOT 220 Diesel**

18. **Replace air cleaner element - 220 Diesel**

19. **Replace fuel filter - NOT 220 Diesel**

20. **Replace fuel filter - 220 Diesel**

21. **Replace spark plugs - NOT 218 or 200vi**

22. **Replace spark plugs - 218 and 200vi**

23. **Replace brake fluid - Every 24 months regardless of mileage* (indicate replacement on service record)**

24. **Check exhaust system and heat shields**

25. **Remove front road wheels**

26. **Check front brake linings, disc, calipers, hoses and pipes**

27. **Remove rear road wheels**

28. **Check rear brake linings, drums, disc, cylinders, callipers, hoses and pipes**

29. **Check road wheels**

30. **Check suspension and steering for signs of leaking or wear**

31. **Check wheel bearings, drive shafts and gaiters**

32. **Adjust handbrake - First 12,000 miles only**

33. **Replace air intake (pollen) filter (if fitted)**

34. **Check handbrake operation**

35. **Lubricate strikers, latches (use Rover lock grease) door hinges and door checks**

MAIN SERVICE

36. **Check front screen number plates and V.I.N - 36 months and then every 12 months**

37. **Check seatbelt and airbag module covers - 36 months and then every 12 months**

38. **Check tyre pressures, condition and tread depth (mm)**

LHF RHF RHR LHR Spare

39. **Check lamps, horns, and system warning indicators**

40. **Check screen wipers and washers**

41. **Replace alarm handset batteries**

10 YEAR REPLACEMENT - AIRBAGS

Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.

42. **Replace airbag module(s)***

43. **Replace airbag rotary coupler* - When driver only airbag fitted**

AFTER EACH MAIN SERVICE

44. **Check oxygen sensor operation - at 36 months and then every 12 months**

45. **Check CO at tailpipe - at 36 months and then every 12 months. (Record CO%)**

46. **Check Smoke emissions - 220 Diesel at 36 months and then every 12 months**

47. **Carry out road test, check for the correct function of all vehicle systems**

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: _____ Signature: _____ Date: _____



ROVER 200 (RF) (ALL MODELS)

MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: _____ Model: _____ Reg.No: _____
 Invoice/Job no: _____ Odometer reading: _____ V.I.N: _____

Service type:	FS	A	B	A	B	A	B		
Months/000 miles:	3	12	24	36	48	60	72	84	96

Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked *

Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.

PRELIMINARY

1. **Before commencing work, check for any outstanding service actions.**

FIRST SERVICE

2. **Replace engine oil and filter - First 3000 miles only Rover 200 Vi only**

MAIN SERVICE

3. **Annual corrosion/cosmetic inspection - Using annual corrosion inspection sheet**

4. **Replace engine oil and filter**

5. **Replace automatic gearbox oil**

6. **Replace antifreeze - 36k and then every 24k**

7. **Check battery connections and antifreeze**

8. **Check brake, PAS, clutch & gearbox fluid levels**

9. **Check pressure sensing hoses and vacuum pipes**

10. **Replace camshaft drive belt- NOT 220 Diesel**

11. **Replace camshaft and injection pump drive belt- 220 Diesel**

12. **Check cooling system hoses and connections for signs of leakage and condition**

13. **Check fuel & clutch pipes and hoses for signs of leakage and condition**

14. **Check condition of crankcase vent hoses & valves where fitted**

15. **Check air conditioning system, hoses and sight glass**

16. **Check auxiliary drive belts tension and condition**

17. **Replace air cleaner element - NOT 220 Diesel**

18. **Replace air cleaner element - 220 Diesel**

19. **Replace fuel filter - NOT 220 Diesel**

20. **Replace fuel filter - 220 Diesel**

21. **Replace spark plugs - NOT 218 or 200vi**

22. **Replace spark plugs - 218 and 200vi**

23. **Replace brake fluid - Every 24 months regardless of mileage*(indicate replacement on service record)**

24. **Check exhaust system and heat shields**

25. **Remove front road wheels**

26. **Check front brake linings, disc, calipers, hoses and pipes**

27. **Remove rear road wheels**

28. **Check rear brake linings, drums, disc, cylinders, callipers, hoses and pipes**

29. **Check road wheels**

30. **Check suspension and steering for signs of leaking or wear**

31. **Check wheel bearings, drive shafts and gaiters**

32. **Adjust handbrake - First 12,000 miles only**

33. **Replace air intake (pollen) filter (if fitted)**

34. **Check handbrake operation**

35. **Lubricate strikers, latches (use Rover lock grease) door hinges and door checks**

MAIN SERVICE

36. **Check front screen number plates and V.I.N- 36 months and then every 12 months**

37. **Check seatbelt and airbag module covers - 36 months and then every 12 months**

38. **Check tyre pressures, condition and tread depth (mm)**

LHF RHF RHR LHR Spare

39. **Check lamps, horns, and system warning indicators**

40. **Check screen wipers and washers**

41. **Replace alarm handset batteries**

10 YEAR REPLACEMENT - AIRBAGS

Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.

42. **Replace airbag module(s)***

43. **Replace airbag rotary coupler* - When driver only airbag fitted**

AFTER EACH MAIN SERVICE

44. **Check oxygen sensor operation - at 36 months and then every 12 months**

45. **Check CO at tailpipe - at 36 months and then every 12 months. (Record CO%)**

46. **Check Smoke emissions - 220 Diesel at 36 months and then every 12 months**

47. **Carry out road test, check for the correct function of all vehicle systems**

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: _____ Signature: _____ Date: _____

GLOSSARY

FIRST SERVICE = The first service required after sale of vehicle. This service is only applicable to certain models as indicated by the maintenance check sheet.

MAIN SERVICE = The main service is applicable to all vehicles. It is carried out at 12 month or 12,000 miles intervals, whichever occurs first.

Main Service "A" is applicable at 12 months/12,000 miles, 36 months/36,000 miles, 60 months/60,000 miles 84 months/84,000 miles and so on.

Main Service "B" is applicable at 24 months/24,000 miles, 48 months/48,000 miles, 72 months/72,000 miles, 96 months/96,000 miles and so on. Some items do not need to be carried out at every main service and these items are identified by an indicator in the tick box e.g. 60k (This indicates that this item is only applicable every 60 months/ 60,000 miles)

For full details regarding the operations contained in this maintenance check sheet, please refer to the workshop manual.