



# ROVER 800 (RS) (ALL MODELS)

## MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: \_\_\_\_\_ Model: \_\_\_\_\_ Reg.No: \_\_\_\_\_  
 Invoice/Job no: \_\_\_\_\_ Odometer reading: \_\_\_\_\_ V.I.N: \_\_\_\_\_

Service type:	FS	LS	A	B	A	B	A	B
Months/000 miles:	6	12	24	36	48	60	72	84
								96

**Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked \***  
**Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.**

### PRELIMINARY

- Before commencing work, check for any outstanding service actions.
- FIRST SERVICE**  
 Replace engine oil and filter - **First 6000 miles only. 820 turbo and 825 Diesel only**
- LUBRICATION SERVICE**  
 Replace engine oil and filter - **820 turbo and 825 Diesel only**

### MAIN SERVICE

- |                          |                          |  |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Annual corrosion/cosmetic inspection - <b>Using annual corrosion inspection sheet</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace engine oil and filter  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace manual gearbox oil - <b>827 upto VIN RS220317 only</b>                         |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace manual gearbox oil - <b>820 upto VIN RS220317 only</b>                         |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace automatic gearbox oil - <b>NOT 825 KV6</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace automatic gearbox oil - <b>825 KV6</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace antifreeze - <b>36k and then every 24k</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Check battery connections and antifreeze   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check brake, PAS, clutch & gearbox fluid levels  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check pressure sensing hoses and vacuum pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check cylinder head bolt torque <b>Diesel - first 12k only - upto VIN 230967 only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Adjust valve clearances- <b>Diesel at 12k, 24k then every 24k upto VIN 230967 only</b> |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace camshaft drive belt- <b>NOT V6 engines</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace camshaft drive belt- <b>V6 engines</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace auxiliary drive belt- <b>820</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace auxiliary drive belt- <b>Diesel</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check cooling system hoses and connections for signs of leakage and condition          |
| <input type="checkbox"/> | <input type="checkbox"/> | Check fuel & clutch pipes and hoses for signs of leakage and condition                 |
| <input type="checkbox"/> | <input type="checkbox"/> | Check condition of crankcase vent hoses & valves where fitted                          |
| <input type="checkbox"/> | <input type="checkbox"/> | Check air conditioning system, hoses and sight glass                                   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check water pump and auxiliary drive belts tension and condition                       |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace air cleaner element - <b>NOT 820 turbo</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace air cleaner element - <b>820 turbo</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>All 820 and Diesel</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>825 KV6</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>827 V6</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Clean fuel lift pump filter - <b>825 Diesel only</b>                                   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check EGR system operation   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check P.C.V. valve - <b>827 V6 only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace spark plugs  |

### MAIN SERVICE

- |                          |                          |  |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Replace brake fluid - <b>Every 24 months regardless of mileage*(indicate replacement on service record)</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check exhaust system and heat shields  |
| <input type="checkbox"/> | <input type="checkbox"/> | Remove rear road wheels  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check rear brake linings, disc, calipers, hoses and pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Remove front road wheels   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check road wheels, front brake linings, disc, calipers, hoses and pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check suspension and steering for signs of leaking or wear   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check wheel bearings, drive shafts and gaiters   |
| <input type="checkbox"/> | <input type="checkbox"/> | Adjust handbrake - <b>First 12,000 miles only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check handbrake operation  |
| <input type="checkbox"/> | <input type="checkbox"/> | Lubricate strikers, latches (use Rover lock grease) door hinges and door checks  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check front screen number plates and V.I.N- <b>36 months and then every 12 months</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check seatbelt and airbag module covers - <b>36 months and then every 12 months</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check tyre pressures, condition and tread depth (mm)   |
| <input type="checkbox"/> | <input type="checkbox"/> | LHF <input type="checkbox"/> RHF <input type="checkbox"/> RHR <input type="checkbox"/> LHR <input type="checkbox"/> Spare <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | Check lamps, horns, and system warning indicators  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check screen wipers and washers  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace alarm handset batteries  |

### 10 YEAR REPLACEMENT - AIRBAGS

Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.

51.   Replace airbag module(s)\*

### AFTER EACH MAIN SERVICE

52.   Check oxygen sensor operation - **at 36 months and then every 12 months**
53.   Check CO at tailpipe - **at 36 months and then every 12 months. (Record CO%)**
54.   Check Smoke emissions - **825 Diesel at 36 months and then every 12 months**
55.   Carry out road test, check for the correct function of all vehicle systems

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_



# ROVER 800 (RS) (ALL MODELS)

## MAINTENANCE CHECK SHEET

Mr./Mrs/Ms: \_\_\_\_\_ Model: \_\_\_\_\_ Reg.No: \_\_\_\_\_  
 Invoice/Job no: \_\_\_\_\_ Odometer reading: \_\_\_\_\_ V.I.N: \_\_\_\_\_

Service type:	FS	LS	A	B	A	B	A	B
Months/000 miles:	6	12	24	36	48	60	72	84
								96

**Adjust/Lubricate/Replace - Labour cost included in scheduled time except items marked \***  
**Check - After the checking procedure, cleaning, adjusting, repairing or replacing is subject to extra labour and material cost.**

### PRELIMINARY

- Before commencing work, check for any outstanding service actions.
- FIRST SERVICE**  
 Replace engine oil and filter - **First 6000 miles only. 820 turbo and 825 Diesel only**
- LUBRICATION SERVICE**  
 Replace engine oil and filter - **820 turbo and 825 Diesel only**

### MAIN SERVICE

- |                          |                          |  |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Annual corrosion/cosmetic inspection - <b>Using annual corrosion inspection sheet</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace engine oil and filter  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace manual gearbox oil - <b>827 upto VIN RS220317 only</b>                         |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace manual gearbox oil - <b>820 upto VIN RS220317 only</b>                         |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace automatic gearbox oil - <b>NOT 825 KV6</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace automatic gearbox oil - <b>825 KV6</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace antifreeze - <b>36k and then every 24k</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Check battery connections and antifreeze   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check brake, PAS, clutch & gearbox fluid levels  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check pressure sensing hoses and vacuum pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check cylinder head bolt torque <b>Diesel - first 12k only - upto VIN 230967 only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Adjust valve clearances- <b>Diesel at 12k, 24k then every 24k upto VIN 230967 only</b> |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace camshaft drive belt- <b>NOT V6 engines</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace camshaft drive belt- <b>V6 engines</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace auxiliary drive belt- <b>820</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace auxiliary drive belt- <b>Diesel</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check cooling system hoses and connections for signs of leakage and condition          |
| <input type="checkbox"/> | <input type="checkbox"/> | Check fuel & clutch pipes and hoses for signs of leakage and condition                 |
| <input type="checkbox"/> | <input type="checkbox"/> | Check condition of crankcase vent hoses & valves where fitted                          |
| <input type="checkbox"/> | <input type="checkbox"/> | Check air conditioning system, hoses and sight glass                                   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check water pump and auxiliary drive belts tension and condition                       |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace air cleaner element - <b>NOT 820 turbo</b>                                     |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace air cleaner element - <b>820 turbo</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>All 820 and Diesel</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>825 KV6</b>   |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace fuel filter - <b>827 V6</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Clean fuel lift pump filter - <b>825 Diesel only</b>                                   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check EGR system operation   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check P.C.V. valve - <b>827 V6 only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace spark plugs  |

### MAIN SERVICE

- |                          |                          |  |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Replace brake fluid - <b>Every 24 months regardless of mileage*(indicate replacement on service record)</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check exhaust system and heat shields  |
| <input type="checkbox"/> | <input type="checkbox"/> | Remove rear road wheels  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check rear brake linings, disc, calipers, hoses and pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Remove front road wheels   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check road wheels, front brake linings, disc, calipers, hoses and pipes  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check suspension and steering for signs of leaking or wear   |
| <input type="checkbox"/> | <input type="checkbox"/> | Check wheel bearings, drive shafts and gaiters   |
| <input type="checkbox"/> | <input type="checkbox"/> | Adjust handbrake - <b>First 12,000 miles only</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check handbrake operation  |
| <input type="checkbox"/> | <input type="checkbox"/> | Lubricate strikers, latches (use Rover lock grease) door hinges and door checks  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check front screen number plates and V.I.N- <b>36 months and then every 12 months</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check seatbelt and airbag module covers - <b>36 months and then every 12 months</b>  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check tyre pressures, condition and tread depth (mm)   |
| <input type="checkbox"/> | <input type="checkbox"/> | LHF <input type="checkbox"/> RHF <input type="checkbox"/> RHR <input type="checkbox"/> LHR <input type="checkbox"/> Spare <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | Check lamps, horns, and system warning indicators  |
| <input type="checkbox"/> | <input type="checkbox"/> | Check screen wipers and washers  |
| <input type="checkbox"/> | <input type="checkbox"/> | Replace alarm handset batteries  |

### 10 YEAR REPLACEMENT - AIRBAGS

Carry out the replacement of the airbag modules and rotary coupler regardless of mileage after 10 years.

51.   Replace airbag module(s)\*

### AFTER EACH MAIN SERVICE

52.   Check oxygen sensor operation - **at 36 months and then every 12 months**
53.   Check CO at tailpipe - **at 36 months and then every 12 months. (Record CO%)**
54.   Check Smoke emissions - **825 Diesel at 36 months and then every 12 months**
55.   Carry out road test, check for the correct function of all vehicle systems

The maintenance items listed, are those recommended for vehicles operating under normal driving, road and climatic conditions. More frequent attention may be necessary if the vehicle is subject to stop/start operation, extremes of temperature, dusty conditions or frequent towing of trailers.

Service check completed, cosmetic/corrosion inspection check completed and service portfolio book stamped

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## GLOSSARY

**FIRST SERVICE**= The first service required after sale of vehicle. This service is only applicable to certain models as indicated by the maintenance check sheet.

**LUBRICATION SERVICE** = The lubrication service is carried out between main services, the first at 18 months or 18,000 miles, whichever occurs first, and then at every subsequent 12 months or 12,000 miles. It is only applicable to certain derivatives as indicated by the maintenance check sheet.

**MAIN SERVICE** = The main service is applicable to all vehicles. It is carried out at 12 month or 12,000 miles intervals, whichever occurs first.

**Main Service "A"** is applicable at 12 months/12,000 miles, 36 months/36,000 miles, 60 months/60,000 miles 84 months/84,000 miles and so on.

**Main Service "B"** is applicable at 24 months/24,000 miles, 48 months/48,000 miles, 72 months/72,000 miles, 96 months/96,000 miles and so on. Some items do not need to be carried out at every main service and these items are identified by an indicator in the tick box e.g. 60k (This indicates that this item is only applicable every 60 months/ 60,000 miles)

For full details regarding the operations contained in this maintenance check sheet, please refer to the workshop manual.